


3 sided mesh truck, 4 swivel puncture proof casters Ø 260

Immagini Prodotto



Descrizione

4 swivel poliurethane filled puncture proof casters Ø 260
Sizes mm 775x1150x1320h
Wire mesh sides 100x100 thread thickness 5

Weight Kg. 51

Capacity Kg. 400

20/10 thickness plate base with tubular chassis 25x25x1.5

ZINC PLATING FINISHING

COMPLIANT TO CE RULES

Optional:

Plate shelf

Acrylic powder painting

Coupling device for small tractor

Rear hook

4th wall

ART	A	B	C	D	E	F
078GIR-02	1200	150	800	1660	310	1320

Informazioni Aggiuntive

Cod. Prod.	ART078VGIR-02
GTIN/EAN	8053853156624
Fornito	Ruote Montate al Piano, Sponde da Montare
Weight kg	51.0000
Load Capacity	400
Type of Wheel:	PU Flat Free
Colour	Aluminum RAL 9006
Manufacturer	Carmeccanica
Made in	Italia
Warranty	5 Years
Conformità	CE
Lead Time	Pronta Consegna

Additional Options

Paracolpi	2 paracolpi angolari in gomma grigia antitraccia
	4 paracolpi angolari in gomma grigia antitraccia
Antirombo	Applicazione antivibrante su 1 piano