


# 3 sided mesh truck, poliurethane filled puncture proof tyres Ø 260

## Immagini Prodotto



## Descrizione

4 puncture proof casters Ø 260 2 fixed 2 swivel  
Sizes mm 775x1150x1320h  
Wire mesh sides 100x100 thread thickness 5

**Weight** Kg. 51

**Capacity** Kg. 400

20/10 thickness plate base with tubular chassis 25x25x1.5

ZINC PLATING FINISH

COMPLIANT TO CE RULES

Optional:

Plate shelf

Acrylic powder painting

Coupling device for small tractor

Rear hook

4th wall

A	B	C	D	E	F
1200	150	800	1660	310	1320

## Informazioni Aggiuntive

Cod. Prod.	ART078V-02
GTIN/EAN	8053853156501
Fornito	Ruote Montate al Piano, Sponde da Montare
Weight kg	51.0000
Load Capacity	400
Type of Wheel:	PU Flat Free
Colour	Aluminum RAL 9006
Manufacturer	Carmeccanica
Made in	Italia
Warranty	5 Years
Conformità	CE
Lead Time	Pronta Consegna

## Additional Options

---

<b>Bumpers</b>	2 bumpers in non marking grey rubber
	4 bumpers in non marking grey rubber
<b>Sound deadener rubber</b>	Sound deadener rubber