

# Battery operated power lift stacker

## Immagini Prodotto



# Descrizione

PMP2EP , as a handy and functional stacker, allows to lift loads up to 200 kg to a height of 1600 mm. When the operator push on the lift button, an 800 W motor pumps the oil in the cylinder, rising the forks and their load. By pushing on the lowering button, the electrovalve is opened, the oil flows back into the tank and the forks lower.

EPOXY POWDER PAINTED  
COMPLIANT TO CE RULES

## DESCRIPTION

Lift	Electric pump
Drive	Pedestrian
Capacity	kg 200
Load centre distance	mm 300

## SIZES

Lift height	mm 1600
Minimum overall height	mm 2005
Maximum overall height	mm 2005
Loading plate minimum height	mm 70
Total length	mm 1000
Length to face of forks	mm 400
Total width	mm 530
Loading plate length	mm 675
Loading plate width	mm 570
Ground clearance	mm 30
Inner distance between forks	mm 210
Turnig radius	mm 930
Height of handles	mm 1200

## PERFORMANCES

Lifting speed without load	mm/s 70
Lifting Motor	W 800

Battery V/Ah 12/60

Charger V/h 12-7

#### WEIGHT & WHEEL

Service weight kg 120

Number of wheel (front/rear) 2/2

Front rollers ø 80x40

Swivel casters ø 150x45

## Informazioni Aggiuntive

Cod. Prod.	ARTPMP2EP
Fornito	Montato - Pronto all'uso
Weight kg	120.0000
Load Capacity	200
Diametro Ruota in mm	150
Colour	Yellow RAL028
Manufacturer	Carmeccanica
Made in	Italia
Warranty	2 Years
Conformità	CE
Lead Time	Su Richiesta