

Battery operated power lift stacker

Immagini Prodotto



Descrizione

PMP2EP , as a handy and functional stacker, allows to lift loads up to 200 kg to a height of 1600 mm. When the operator push on the lift button, an 800 W motor pumps the oil in the cylinder, rising the forks and their load. By pushing on the lowering button, the electrovalve is opened, the oil flows back into the tank and the forks lower.

EPOXY POWDER PAINTED
COMPLIANT TO CE RULES

DESCRIPTION

| | |
|----------------------|---------------|
| Lift | Electric pump |
| Drive | Pedestrian |
| Capacity | kg 200 |
| Load centre distance | mm 300 |

SIZES

| | |
|------------------------------|---------|
| Lift height | mm 1600 |
| Minimum overall height | mm 2005 |
| Maximum overall height | mm 2005 |
| Loading plate minimum height | mm 70 |
| Total length | mm 1000 |
| Length to face of forks | mm 400 |
| Total width | mm 530 |
| Loading plate length | mm 675 |
| Loading plate width | mm 570 |
| Ground clearance | mm 30 |
| Inner distance between forks | mm 210 |
| Turnig radius | mm 930 |
| Height of handles | mm 1200 |

PERFORMANCES

| | |
|----------------------------|---------|
| Lifting speed without load | mm/s 70 |
| Lifting Motor | W 800 |

Battery V/Ah 12/60

Charger V/h 12-7

WEIGHT & WHEEL

Service weight kg 120

Number of wheel (front/rear) 2/2

Front rollers ø 80x40

Swivel casters ø 150x45

Informazioni Aggiuntive

| | |
|----------------------|--------------------------|
| Cod. Prod. | ARTPMP2EP |
| Fornito | Montato - Pronto all'uso |
| Weight kg | 120.0000 |
| Load Capacity | 200 |
| Diametro Ruota in mm | 150 |
| Colour | Yellow RAL028 |
| Manufacturer | Carmeccanica |
| Made in | Italia |
| Warranty | 2 Years |
| Conformità | CE |
| Lead Time | Su Richiesta |