

Cylinder truck lt. 40 - lt. 50

Immagini Prodotto



Descrizione

Single cylinder truck for Ø 260, capacity lt. 40/50.

Foldable on four wheels, designed to facilitate transport, the rear swivel wheels allow greater maneuverability.

2 pneumatic wheels Ø 260.

4-ply tire (4PR), sculpted tread, pressed steel body, self-lubricating roller cage. Maximum pressure 2.5 bar (36 psi)

2 industrial rubber wheels Ø 100 (1 swivel castor + 1 swivel castor with brake).

Black rubber wheels with galvanized and riveted pressed steel hub and roller bearings. Steel ball seal covers.

Cylinder truck for stoneware, asphalt, cement and resin.

Sizes mm 490x850x1320h.

Noseplate sizes mm 320x220

Capacity kg 100

Weight kg 17,5

Round tubular steel bearing structure mm 28x1,5.

Tubular rear wheel support bracket with counter-plates.

2 lateral reinforcing/containment triangles welded to the plate 230x270h mm.

Storage box made of 10/10 sheet metal with riveted anti-cut edge mm 300x170x140h.

Hose reel hook in 8 mm rod.

1 bottle-holding belt made of polyester tape and 2 belt hooks welded to the structure.

Non-toxic rubber knobs with octagonal grip edge.

Finishing by grinding the welds and rounding off any sharp corners.

GALVANIC ZINC PLATING

COMPLYING WITH CE STANDARDS

Informazioni Aggiuntive

Cod. Prod.	ART031TZN
GTIN/EAN	8053853151117
Fornito	Montato - Pronto all'uso
Weight kg	17.5000
Plate	320x220
Load Capacity	100
Diametro Ruota in mm	260
Type of Wheel:	Pneumatic
Colour	Zinc Plated
Manufacturer	Carmeccanica
Made in	Italia
Warranty	5 Years
Conformità	CE
Lead Time	Pronta Consegna