


Double handgrip hand truck with pneumatic wheels

Immagini Prodotto



Descrizione

The handle, housed on two rear supports, can be removed and hooked under the loading plate and used by

a second operator.

The transport with the double handle activated (so-called stretcher) allows easier transport even in the case of heavier weights.

Ideal for loading appliances and bulky loads.

2 pneumatic wheels Ø260

4-ply pneumatic (4PR), iron body, rolling on roller cage, maximum pressure 2.5 bar (36 psi)

Hand track suitable for stoneware, asphalt, concrete, resin, grating and dirt.

Sizes 630x510x1260h mm

Noseplate Sizes: 420x220 mm

Weight Kg. 17

Capacity Kg. 250

Non-toxic rubber grips

Ergonomic handle

Fins to protect the wheels from transported loads

Electro-welded tubes and plate

EPOXY POWDERS COATED

COMPLIANT WITH CE STANDARDS

Informazioni Aggiuntive

Cod. Prod.	ART024A
GTIN/EAN	8053853150912
Fornito	Montato - Pronto all'uso
Weight kg	17.0000
Plate	420x220
Load Capacity	250
Diametro Ruota in mm	260
Type of Wheel:	Pneumatic
Colour	Yellow RAL028
Manufacturer	Carmeccanica
Made in	Italia
Warranty	5 Years
Conformità	CE
Lead Time	7 giorni