

Double handgrip stairclimbing hand truck

Immagini Prodotto



Descrizione

The handle, housed on two rear supports, can be removed and hooked under the loading plate and used by a second operator.

The transport with the double handle activated (so-called stretcher) allows easier transport even in the case of heavier weights.

Ideal for loading appliances and bulky loads.

6 industrial rubber wheels on rotating star Ø150

Star support in pressed and galvanized sheet metal with roller bearing central hub.

Wheels with roller rolling.

Hand truck for stoneware, asphalt, concrete and resin.

Sizes 630x580x1260h mm

Noseplate Sizes: 400x220 mm

Weight Kg. 21

Capacity Kg. 250

Non-toxic rubber grips

Ergonomic handle

Fins to protect the wheels from transported loads

Electro-welded tubes and plate

EPOXY POWDERS COATED

COMPLIANT WITH CE STANDARDS

Informazioni Aggiuntive

| | |
|----------------------|--------------------------|
| Cod. Prod. | ART021C |
| GTIN/EAN | 8053853150851 |
| Fornito | Montato - Pronto all'uso |
| Weight kg | 21.0000 |
| Plate | 420x220 |
| Load Capacity | 250 |
| Diametro Ruota in mm | Stella |
| Type of Wheel: | Rubber |
| Colour | Yellow RAL028 |
| Manufacturer | Carmeccanica |
| Made in | Italia |
| Warranty | 5 Years |
| Conformità | CE |
| Lead Time | 7 giorni |