


# Hand winch stacker with automatic friction brake, with loading plate

## Immagini Prodotto



## Descrizione

---

Push handles

Hand winch al.ko with capacity 450 kg and authomatic friction brake

Cable braking load 1000 kg

The load can only be lowered through a direct operation on the winch

COMPLIANT TO CE RULES

### DESCRIPTION

Lift Hand winch

Drive Pedestrian

Capacity kg 100

Load axle to end forks mm 560

wheelbase mm 980

### SIZES

Lift mm 1600

Overall height forks lowered mm 1980

IOverall height forks raised mm 1980

Lowered plate height mm 95

total length mm 1260'

Length to face of forks mm 390

Total width mm 660

Plate legth mm 800

Plate width mm 550

Plate width x thickness mm 550x30

Inner distance between forks /

Turning radius mm 950

Push handles height mm 1200

## WEIGHT & WHEEL

Weight	kg 65
Number of wheels (back / front)	2/2
Front rollers	80x40
Rear casters	150x45
Thread front	mm 450
thread rear	mm 550

## Informazioni Aggiuntive

Cod. Prod.	ARX163
Fornito	Montato - Pronto all'uso
Weight kg	65.0000
Load Capacity	100
Diametro Ruota in mm	150
Colour	Yellow RAL028
Manufacturer	Carmeccanica
Made in	Italia
Warranty	5 Years
Conformità	CE
Lead Time	Su Richiesta